

FIG.1

T 型 / T Core

型号 TYPE	图例 FIG.	尺寸 Dimensions (mm)				C1	Ae	Le	Ve
		A	B	C					
T4*2*1	1	4.0±0.3	2.0±0.3	1.0±0.3	9.06	0.96	8.71	8.4	
T4*2*2	1	4.0±0.3	2.0±0.3	2.0±0.3	4.53	1.92	8.71	16.7	
T6*3*3	1	6.0±0.3	3.0±0.3	3.0±0.3	3.02	4.32	13.07	56.5	
T6.3*3.8*2.5	1	6.3±0.3	3.8±0.3	2.5±0.3	5.5	2.7	14.87	40.2	
T7*4*4	1	7.0±0.3	4.0±0.3	4.0±0.3	2.81	5.85	16.41	95.9	
T8*4*2	1	8.0±0.3	4.0±0.3	2.0±0.3	4.53	3.84	17.42	67	
T8*4*4	1	8.0±0.3	4.0±0.3	4.0±0.3	2.27	7.69	17.42	133.9	
T9*3.2*13.5	1	9.0±0.3	3.2±0.3	13.5±0.3	0.45	35.84	16.13	578.1	
T9*5*3	1	9.0±0.3	5.0±0.3	3.0±0.3	3.56	5.83	20.77	121.1	
T9*5*4	1	9.0±0.3	5.0±0.3	4.0±0.3	2.67	7.77	20.77	161.5	
T9*6*3	1	9.0±0.3	6.0±0.3	3.0±0.3	5.1	4.44	22.93	101.8	
T9.5*4.9*10.4	1	9.5±0.3	4.9±0.3	10.4±0.3	0.91	23.07	21.05	485.5	
T9.53*4.75*4.78	1	9.53±0.3	4.75±0.3	4.78±0.3	1.89	10.97	20.72	227.3	
T10*5*5	1	10.0±0.4	5.0±0.4	5.0±0.3	1.81	12.01	21.78	261.6	
T10*6*4	1	10.0±0.4	6.0±0.4	4.0±0.3	3.08	7.83	24.07	188.4	
T10*6*5	1	10.0±0.4	6.0±0.4	5.0±0.3	2.46	9.79	24.07	235.6	
T12*6*4	1	12.0±0.4	6.0±0.4	4.0±0.3	2.27	11.53	26.13	301.3	
T12.7*7.14*5	1	12.7±0.4	7.14±0.4	5.0±0.3	2.18	13.52	29.51	399	
T12.7*7.8*5	1	12.7±0.4	7.8±0.4	5.0±0.3	2.58	12.01	30.96	371.8	
T12.7*7.9*6.35	1	12.7±0.4	7.9±0.4	6.35±0.3	2.08	14.96	31.17	466.3	
T12.8*7.35*5.9	1	12.8±0.4	7.35±0.4	5.9±0.3	1.9	15.5	30.09	472	
T13*7*5	1	13.0±0.4	7.0±0.4	5.0±0.3	2.03	14.53	29.5	428.6	

AL(±25%)				重量 g /PCS
TP4	TP4A	TP4W	TPW33	
320	330	410	450	0.06
630	660	830	900	0.10
950	1000	1250	1400	0.32
530	550	680	750	0.22
1000	1100	1300	1500	0.50
630	660	830	910	0.45
1300	1350	1700	1800	0.75
6400	6700	8300	9200	2.60
800	850	1000	1100	0.80
1100	1150	1400	1550	0.86
550	580	750	800	0.49
3200	3300	4000	4500	2.30
1600	1650	2000	2200	1.27
1500	1600	2000	2200	1.50
900	950	1100	1200	1.00
1200	1250	1500	1600	1.24
1280	1300	1700	1800	1.68
1300	1350	1700	1900	2.35
1100	1150	1500	1600	1.90
1400	1450	1800	2000	2.30
1480	1550	1950	2100	2.46
1400	1500	1800	2000	2.30




FIG.1

T 型 / T Core

型号 TYPE	图例 FIG.	尺寸 Dimensions (mm)				C1	Ae	Le	Ve
		A	B	C					
T13*8*6	1	13.0±0.4	8.0±0.4	6.0±0.3	2.16	14.71	31.73	466.6	
T14*7*5	1	14.0±0.4	7.0±0.4	5.0±0.3	1.81	16.82	30.49	512.7	
T14*8*7	1	14.0±0.4	8.0±0.4	7.0±0.3	1.6	20.46	32.82	671.5	
T14*9*5	1	14.0±0.4	9.0±0.4	5.0±0.3	2.84	12.3	34.98	430.2	
T14.3*6.4*13.5	1	14.27±0.4	6.35±0.4	13.46±0.3	0.58	50.48	29.1	1469.2	
T14.3*7.25*28.6	1	14.3±0.4	7.25±0.4	28.6±0.75	0.32	97.03	31.38	3044.8	
T16.1*9.5*9.5	1	16.1±0.4	9.5±0.4	9.5±0.3	1.27	30.25	38.52	1165.3	
T16*10*6	1	16.0±0.4	10.0±0.4	6.0±0.3	2.23	17.67	39.38	695.8	
T16*10*8	1	16.0±0.4	10.0±0.4	8±0.3	1.67	23.56	39.38	927.8	
T16*12*8	1	16.0±0.4	12.0±0.4	8.0±0.3	2.91	15.07	43.78	659.6	
T16*9*4	1	16.0±0.4	9.0±0.4	4±0.3	2.7	13.62	37.18	506.5	
T16*9*5	1	16.0±0.4	9.0±0.4	5.0±0.3	2.18	17.03	37.18	633.1	
T16*9*8	1	16.0±0.4	9.0±0.4	8.0±0.3	1.37	27.24	37.18	1012.9	
T16*9*9	1	16.0±0.4	9.0±0.4	9.0±0.3	1.21	30.65	37.18	1139.5	
T16*9.6*6.3	1	16.0±0.4	9.6±0.4	6.3±0.3	1.95	19.73	38.52	759.8	
T17*10*2.5	1	17.0±0.4	10.0±0.4	2.5±0.3	4.74	8.55	40.49	346	
T17*11*6.4	1	17.0±0.4	11.0±0.4	6.4±0.3	2.26	18.9	42.62	805.6	
T17*4.2*18.95	1	17±0.4	4.2±0.4	18.95±0.45	0.24	103.31	24.5	2531.3	
T17.5*11.5*7	1	17.5±0.4	11.5±0.4	7.0±0.3	2.14	20.69	44.24	915.5	
T18*10*10	1	18.0±0.4	10.0±0.4	10.0±0.3	1.07	38.87	41.55	1614.9	
T18*10*8	1	18.0±0.4	10.0±0.4	8.0±0.3	1.34	31.09	41.55	1291.9	
T18*8*5	1	18.0±0.4	8.0±0.4	5.0±0.3	1.55	23.67	36.69	868.5	

AL(±25%)				重量 g /PCS
TP4	TP4A	TP4W	TPW33	
1340	1400	1750	1900	2.50
1500	1600	2000	2200	2.95
1800	1900	2300	2600	3.34
1000	1100	1300	1500	2.23
5000	5200	6500	7200	8.50
9000	9300	11500	12500	15.80
2300	2400	3000	3300	5.93
1300	1350	1700	1900	3.60
1700	1800	2250	2500	4.70
1000	1100	1400	1500	3.30
1000	1100	1350	1500	2.60
1300	1400	1700	1900	3.30
2100	2200	2700	3000	5.60
2400	2500	3100	3400	6.25
1400	1500	1900	2100	5.10
610	640	800	880	1.82
1280	1300	1650	1800	4.00
12100	12700	15800	17500	19.60
1300	1400	1700	1900	4.64
2700	2800	3500	3900	8.40
2200	2300	2800	3100	6.50
1900	1950	2400	2700	4.90




FIG.1

T 型 / T Core

型号 TYPE	图例 FIG.	尺寸 Dimensions (mm)				C1	Ae	Le	Ve
		A	B	C					
T20*10*7	1	20.0±0.5	10.0±0.5	7.0±0.3	1.29	33.63	43.55	1464.7	
T20*12*10	1	20.0±0.5	12.0±0.5	10.0±0.3	1.23	39.14	48.14	1884.4	
T21*13.2*6.35	1	21.0±0.5	13.2±0.5	6.35±0.3	2.13	24.32	51.84	1261	
T22*10*8	1	22.0±0.6	10.0±0.6	8.0±0.3	1	45.59	45.4	2070.3	
T22*11*5	1	22.0±0.6	11.0±0.6	5.0±0.3	1.81	26.42	47.91	1265.9	
T22*11*7	1	22.0±0.6	11.0±0.6	7.0±0.3	1.29	36.99	47.91	1772.3	
T22*14*13	1	22.0±0.6	14.0±0.6	13.0±0.3	1.07	51.12	54.67	2794.8	
T22*14*6.5	1	22.0±0.6	14.0±0.6	6.5±0.3	2.14	25.56	54.67	1397.4	
T22*14*8	1	22.0±0.6	14.0±0.6	8.0±0.3	1.77	31.08	54.88	1705.8	
T25*15*10	1	25.0±0.6	15.0±0.6	10.0±0.3	1.23	48.93	60.18	2944.4	
T25*15*15	1	25.0±0.6	15.0±0.6	15.0±0.4	0.82	73.39	60.18	4416.6	
T25.4*15.5*6.35	1	25.4±0.6	15.5±0.6	6.35±0.3	2	30.8	61.7	1901	
T25.9*12.8*21.3	1	25.9±0.6	12.8±0.6	21.3±0.5	0.418	134	56	7502	
T26.8*14.7*18.8	1	26.8±0.6	14.7±0.6	18.8±0.4	0.56	110.38	61.43	6780.6	
T27*11*8	1	27.0±0.6	11.0±0.6	8.0±0.3	0.88	59.57	52.64	3135.7	
T27*9*27	1	27.0±0.6	9.0±0.6	27.0±0.6	0.21	219.97	46.59	10249.1	
T28*14*7.4	1	28.0±0.6	14.0±0.6	7.4±0.3	1.22	49.77	60.97	3034.9	
T29*19*15	1	29.0±0.6	19.0±0.6	15.0±0.5	0.99	73.89	73.2	5408.7	
T29.3*8.2*21.1	1	29.3±0.6	8.2±0.6	21.1±0.4	0.23	194.81	45.56	8874.6	
T30*11*6	1	29.6±0.6	10.75±0.6	6.0±0.4	1.08	50.95	55.15	2810	
T31*19*13	1	31.0±0.6	19.0±0.6	13.0±0.4	0.99	76.46	75.49	5771.9	
T31*19*15	1	31.0±0.6	19.0±0.6	15.0±0.4	0.86	88.22	75.49	6659.9	

AL(±25%)				重量 g /PCS
TP4	TP4A	TP4W	TPW33	
2250	2300	2900	3200	8.00
2300	2400	3000	3300	10.00
1350	1400	1800	1950	6.40
3000	3050	3800	4100	9.00
1600	1650	2100	2300	7.00
2200	2300	2900	3200	10.00
2700	2800	3500	3900	14.10
1350	1400	1700	1900	7.15
1600	1700	2200	2400	8.90
2400	2500	3100	3400	15.30
3500	3700	4600	5100	23.00
1400	1500	1900	2100	9.00
6900	7200	9000	9900	39.80
5000	5300	6600	7300	35.00
3300	3500	4300	4700	18.50
13600	14000	17800	19500	53.00
2300	2400	3000	3300	16.90
3000	3100	3800	4200	28.00
12500	13000	16000	18000	63.00
2700	2800	3500	3800	16.50
2900	3100	3800	4200	31.00
3400	3500	4400	4900	34.60




FIG.1

T 型 / T Core

型号 TYPE	图例 FIG.	尺寸 Dimensions (mm)				C1	Ae	Le	Ve
		A	B	C					
T31*19*8	1	31.0±0.6	19.0±0.6	8.0±0.3	1.6	47.05	75.49	3551.9	
T31*20*15	1	31.0±0.6	20.0±0.6	15.0±0.4	0.96	81.19	77.6	6300.7	
T31.75*19.05*9.5	1	31.75±0.75	19.05±0.75	9.5±0.3	1.29	59.03	76.43	4511.6	
T32*17*15.5	1	32.0±0.6	17.0±0.6	15.5±0.4	0.65	111.77	72.3	8080.9	
T35.55*23*12.7	1	35.55±0.75	23±0.55	12.7±0.5	1.14	78.45	89.13	6991.5	
T36*23*15	1	36.0±0.6	23.0±0.6	15.0±0.4	0.93	95.89	89.65	8595.9	
T36*23*20	1	36.0±0.6	23.0±0.6	20.0±0.4	0.7	127.85	89.65	11461.2	
T38*19*13	1	38.0±0.7	19.0±0.7	13.0±0.5	0.7	118.67	82.75	9819.9	
T38*19*18	1	38.0±0.7	19.0±0.7	18.0±0.5	0.5	164.31	82.75	13596.8	
T38*22*15	1	38.0±0.7	22.0±0.7	15.0±0.5	0.77	117.06	89.71	10501.7	
T38.1*25.4*16	1	38.1±0.7	25.4±0.7	16.0±0.5	0.97	100.22	97.06	9727.2	
T42*26*13	1	42.0±0.7	26.0±0.7	13.0±0.5	1.01	102.03	102.83	10491.4	
T49*34*16	1	49.0±0.7	34.0±0.7	16.0±0.5	1.07	118.67	127.52	15133	
T50*30*20	1	50.0±0.8	30.0±0.8	20.0±0.5	0.62	195.71	120.36	23555.4	
T61*35.55*12.7	1	61±1.3	35.55±0.85	12.7±0.5	0.92	157.74	144.54	22798.6	
T63*38*12.5	1	63±1.0	37.5min	12.5±0.5	0.97	155.85	151	23533	
T63*38*25	1	62.1±1.1	38.2±0.8	25.0±0.5	0.52	292.94	151.52	44385.6	
T73.65*38.85*12.7	1	73.65±1.0	38.85±0.7	12.7±0.35	0.77	213.6	165.22	35289.9	
T80.4*39.7*15.3	1	80.4±2.6	39.7±1.3	15.3±0.6	0.58	298.75	173.86	51940.6	
T101.6*75.2*24.8	1	101.6±2.1	75.2±1.5	24.75±0.55	0.84	324.25	273.57	88705.1	
T101.6*76.2*25.4	1	101.6±2.6	76.2±2.0	25.4±0.7	0.86	320.36	275.47	88250.2	
T102*65*10	1	102±2.0	65±2.0	10±1.0	1.39	181.9	253.65	46139.7	

AL(±25%)				重量 g /PCS
TP4	TP4A	TP4W	TPW33	
1800	1900	2350	2600	18.50
3000	3200	3900	4300	33.00
2200	2300	2900	3200	22.00
4500	4700	5800	6400	44.00
2600	2700	3300	3650	36.00
3100	3200	4000	4400	45.00
4100	4300	5400	5900	57.00
4100	4300	5400	5900	56.00
5700	5900	7500	8200	76.00
3800	3900	4900	5400	62.70
2900	3100	3800	4200	48.00
2800	3000	3700	4100	53.00
2700	2800	3500	3900	79.00
4700	4900	6100	6700	125.00
3150	3300	4100	4500	118.00
3000	3100	3900	4300	120.00
5600	5800	7300	8000	230.00
3750	3900	4900	5300	200.00
4700	5000	6400	7000	262.00
3400	3600	4500	4900	440.00
3400	3500	4400	4800	435.00
2100	2200	2700	2900	245.00